


AMENDED CLAIM SET:

1. (cancelled).

2. (previously presented) A resin composition comprising a polyether amide block copolymer as a thermoplastic elastomer and from 0.1 to 10 parts by weight, relative to 100 parts by weight of the elastomer, of a glycol or its derivative.

3. (cancelled).

4. (currently amended) The resin composition according to claim ~~1~~ or 2, wherein said glycol or its derivative is a compound represented by the following Formula (1):



wherein each of R^1 and R^2 is, identical to or different from each other, a hydrogen atom, an alkyl group, or an acyl group; each of A^1 , A^2 and A^3 is, identical to or different from one another, an alkylene group having 2 or more carbon atoms; each of l , m and n is, identical to or different from one another, an integer of 0 or more, where $l+m+n>0$.

5. (currently amended) The resin composition according to claim ~~1~~ or 2, wherein the amount of the glycol or its derivative is from about 0.5 to 6 parts by weight relative to 100 parts by weight of the thermoplastic elastomer.

6. (currently amended) A molded article composed of a resin composition according to claim ~~1~~ or 2.

7. (new) The block copolymer resin composition according to claim 2, wherein the polyamide blocks are selected from the group consisting of polyamide 6, polyamide 66, polyamide 11, and polyamide 12 and the polyether blocks are selected from the group consisting of polyethylene glycol, polypropylene glycol, and polytetramethylene glycol.

8. (new) The block copolymer resin composition according to claim 2, wherein the glycol or its derivative are selected from the group consisting of polypropylene glycols, polytetramethylene glycol, polyoxyethylene polyoxypropylene block copolymers, polypropylene tetramethylene glycol, and their derivatives.